

3.5" SCSI 68-Pin Wide Differential Solid State Drive (SSD)

RRT-35SCSI-HW



Red Rock Technologies, Inc. offers a proprietary FPGA-based design that provides a long-term solution for replacement of obsolete SCSI drives.


FEATURES

- ❖ Drop in replacement for obsolete SCSI drives
- ❖ 68-pin Wide 16-bit Differential Ultra SCSI interface
- ❖ Capacities up to 240GB
- ❖ Commercial and Extended temperature versions available
- ❖ Customizable firmware (modified to work in your system)
- ❖ RoHS compliant
- ❖ US-Based Engineering and Manufacturing
- ❖ In-house Technical Support

3.5" SCSI 68-pin Wide Differential SSD Specifications

PERFORMANCE	
Version	SLC
Capacities ⁽¹⁾	Up to 240GB
NAND Flash Type	SLC
Interface	Wide 16-bit Differential SCSI1, SCSI2, Ultra SCSI
Sustained Throughput Read/Write	38 MB/s
Sector Size	512 byte default, custom sector sizes available
RELIABILITY	
MTBF (hours) ⁽²⁾	2 million
Endurance (100GB SSD) Total Bytes Written	350TB
Data Retention	10 years ⁽³⁾
POWER	
Voltage	+5V ± 5%
Watts-idle	3W
Watts-active	4W max
ENVIRONMENTAL	
Operating Temperature	0°C to 70°C
Storage Temperature	-40°C to 85°C
Extended Operating Temperature ⁽⁴⁾	-40°C to 85°C
Extended Storage Temperature	-40°C to 85°C
Relative Humidity ⁽⁵⁾	5% to 95% non-condensing
Altitude ⁽⁶⁾	80,000 ft (24,000 meters)
Shock	50g 11 millisecond
Vibration	12.0g 20 Hz to 2000 Hz
PHYSICAL	
Form Factor	3.5" drive
Weight	15 oz. max (420g)
Dimensions (W x L x H)	4.0" x 5.75" x 1.0" (101.6mm x 146.1mm x 25.4mm)
(1) Larger capacities available as new COTS 2.5" drives released	
(2) Telcordia SR-332, Issue 3, operating temp. (40°C), electrical stress (50%), environmental factor (1.0)	
(3) SLC 10 years at 10% TBW ramping down to 1 year at 100% TBW	
(4) Thermal qualification	MIL-STD-810F, Method 501, Procedure II, and MIL-STD-810F, Method 502, Procedure II
(5) Relative Humidity qualification	MIL-STD-810F, Method 507
(6) Altitude qualification	MIL-STD-810F, Method 500, Procedure II

Ordering Information



Part Order Examples: RRT-35SCSI-HW-SLC-120GB-UR-X
RRT-35SCSI-HW-SLC-4.3GB

Red Rock Technologies, Inc. reserves the right to modify, change or discontinue specific products within its product line at its own discretion. Red Rock Technologies, Inc. does not assume any liability resulting from the application or use of its products. The information contained herein has been checked and is believed to be entirely accurate, however, no responsibility is assumed for inaccuracies. Printed and/or downloaded copies of this document are not controlled.

“Red Rock Technologies” and the mountain logo are registered trademarks of Red Rock Technologies, Inc.
© Copyright 2020 Red Rock Technologies, Inc. All rights reserved. (Rev. 20200304_RevA)

info@redrocktech.com
www.redrocktech.com

Tempe Arizona USA

480-483-3777
800-808-7837

